

Qualifying Gas Food Service Equipment (AU and OPU Customers Only)

1/1/19

ENERGY STAR®'s qualifying product lists only include products that meet or exceed their current performance specifications. Products that qualified under previous specifications are not listed but still qualify for rebates. Documentation must be provided to show that a product is ENERGY STAR qualified if it isn't listed on their current qualifying product lists.

Combination Ovens

CODE 2000

Gas Commercial Combination Ovens must have a tested steam mode cooking energy efficiency of 38% or greater and a convection mode cooking energy efficiency of 44% or greater utilizing American Society for Testing and Materials (ASTM) Standard F2861, and meet the idle rate requirements shown in the table below.

ASTM F2861 Idle Rate Requirements:

Gas Oven Capacity	Steam Mode Idle Rate	Convection Mode Idle Rate
< 15 Pan Capacity	≤ 15,000 Btuh	≤ 8,000 Btuh
15-28 Pan Capacity	≤ 18,000 Btuh	≤ 10,000 Btuh
> 28 Pan Capacity	≤ 28,000 Btuh	≤ 16,000 Btuh

Qualifying Combination Ovens

Company Name (Website)	Model Name	Model Number	Steam Energy Eff. (%)	Convection Energy Efficiency (%)	Rebate (per unit)
Alto-Shaam (www.alto-shaam.com)	Combitherm	7.14 ESG	40	49	\$900
	Combitherm	CTC7-20G	52	60	
	Combitherm	CTP10-20G	51	61	
	Combitherm	CTP20-20G	50	59	
	Combitherm	CTP7-20G	47	59	
Angelo Po (www.angelopo.com)	---	FX122G3T	55	63	
	---	FX82G3T	54	60	
Blodgett (www.blodgett.com)	---	BLC*-102G	42	60	
	---	BLC*-62G	50	59	
Cleveland (www.clevelandrange.com)	Convotherm	C4e* 10.20GS	58	63	
		C4e* 20.20GB	48	61	
		C4e* 6.20GB	51	62	
		C4e* 6.20GS	58	62	
		OGB-6.20	44	60	
		OGS-6.20	57	59	
		OGS-10.20	47	61	
OGS-20.20	57	61			
Electrolux (professional.electroluxusa.com)	Air-O-Convect	AOS062GCP1	48	55	
Eloma (www.eloma.com/us/)	Genius	T6-11	48	57	
		T10-11	51	60	
Henny Penny (www.hennypenny.com)	FlexiRack	FPG115	53	61	
	ClassicCombi	GCC615	44	52	
	SmartCombi	GSC115	46	57	
Lainox (www.lainox.com)	---	NAGB071	43	56	
		NAGB072	46	56	
		NAGB101	44	58	
		NAGB201	44	60	
		NAGB202	55	61	
Lang (www.langworld.com)	---	CPE 2.10G	42	60	
Piper (www.piperonline.net)	---	HMG072X	46	54	
Rational (www.rationalusa.com)	SelfCooking Center	B1182*	43	57	
		B1282*	56	56	
		B2282*	45	57	
		B6182*	54	58	
		B6282*	54	58	
		SCC102G	45	55	
		SCC61G	48	51	
		SCCWE101NG	44	62	
		SCCWE102NG	43	57	
		SCCWE202NG	56	56	
		SCCWE61NG	45	57	
		SCCWE62NG	54	58	
UNOX (www.unox.com)	---	XAVC-10FS-GPR	49	63	

Convection Ovens

CODE 2100

Rebate per unit = \$500

Gas Commercial Convection Ovens must be ENERGY STAR® qualified.

See qualifying product list for gas convection ovens on the ENERGY STAR website:

<http://www.energystar.gov/productfinder/product/certified-commercial-ovens/results>



Qualifying Gas Food Service Equipment (AU and OPU Customers Only)

1/1/19

Conveyor Ovens

CODE 2700

Gas Conveyor Ovens must meet or exceed baking energy efficiency of 42% and have an idle energy rate of 57,000 Btuh or less utilizing American Society for Testing and Materials (ASTM) Standard F1817.

Company Name (Website)	Model Name	Model Number	Conveyor Width	Energy Efficiency (%)	Idle Rate (Btuh)	Rebate
Edge (www.edgeovens.com)	---	EDGE60	34"	50%	23,868	\$750
Lincoln (www.lincolnfp.com)	Impinger	1600-***-U-K****	32"	46%	36,393	
	Impinger with Quest EMS	1600-***-U-K****-AQ	32"	46%	23,402	
	Impinger	3270-***-N-K****	32"	44%	53,800	
Middleby (www.middleby.com)	---	PS570	32"	47%	40,600	
	WOW	PS670	32"	48%	37,465	
	WOW	PS770	32"	48%	37,465	
	WOW	PS870/PS970	32"	48%	37,465	
XLT (www.xitovens.com)	Quiet Fire	3255/3255D	32"	42%	41,700	
		3240-HP	32"	43%	36,696	
		3855	38"	45%	45,004	
		3270	32"	47%	42,615	
		3270-2B	32"	47%	46,017	
		3870-2B	38"	44%	56,500	

Rack Ovens

CODE 2200

Gas Commercial Rack Ovens must have a tested baking energy efficiency of 50% or greater utilizing American Society for Testing and Materials (ASTM) Standard F2093.

Company Name (Website)	Brand Name	Model Number	Capacity	Energy Efficiency (%)	Rebate (per unit)
Adamatic Corporation (www.adamatic.com)	Adamatic	PRO2G	Double-Rack	50	\$1,200
Baxter (www.baxtermfg.com)	Baxter	BXA2G	Double-Rack	56	
		OV500G2	Double-Rack	56	
		OV500G2-EE	Double-Rack	55	
Belshaw Adamatic (www.belshaw-adamatic.com)	---	Oven-2020	Double-Rack	66	
Doyon (www.doyon.qc.ca)	---	SRO2G	Double-Rack	55	
EM Bakery Equipment (www.emequip.com)	---	Roller 89	Double-Rack	52	
Gemini Bakery (www.geminibe.com)	Gemini	V42	Double-Rack	52	
Hobart (www.hobartcorp.com)	Hobart	HBA-2G	Double-Rack	56	
LBC Bakery Equipment (www.langbakery.com)	LBC	LRO-1G5	Single-Rack	53	
		LRO-2G	Double-Rack	54	
		LRO-2G4	Double-Rack	52	
		LRO-2G5	Double-Rack	62	
MIWE (www.miwe.com)	Roll-In e+	1.0711-TL	Double-Rack	52	
Revent (www.revent.se)	Revent	724	Double-Rack	58	
		ONE26	Single-Rack	53	
Sveba-Dahlen (www.sveba-dahlen.se)	Dahlen	V42	Double-Rack	54	
TMB Baking (www.tmbbaking.com)	TMB Baking	XL2	Double-Rack	53	

Steam Cookers

Gas Commercial Steam Cookers must be ENERGY STAR® qualified.

See qualifying product list for gas steam cookers on the ENERGY STAR website:
www.energystar.gov/productfinder/product/certified-commercial-steam-cookers/results



Pan Capacity	CODE	Rebate (per unit)
3	2400	\$500
4	2401	\$525
5	2402	\$550
6 and larger	2403	\$575

Griddles

CODE 2500

Rebate per unit = \$175

Gas Commercial Griddles must be ENERGY STAR® qualified.

See qualifying product list for gas griddles on the ENERGY STAR website:
<http://www.energystar.gov/productfinder/product/certified-commercial-griddles/results>



Qualifying Gas Food Service Equipment (AU and OPU Customers Only)

1/1/19

Gas Infrared Equipment

Infrared Equipment	CODE	Rebate (per unit)
Charbroilers	2801	\$300
Rotisserie Ovens	2802	\$500
Salamander Broilers	2803	\$150
Upright Broilers	2804	\$600
Fryers	2805	\$250

Pasta Cookers

CODE 2900

Rebate per unit = \$200

Fryers

Standard Vat Size (Vat Width < 18") - CODE 2300

Rebate per unit = \$250

Gas Commercial Fryers must be ENERGY STAR® qualified. See qualifying product list for gas fryers on the ENERGY STAR website:

www.energystar.gov/productfinder/product/certified-commercial-fryers/results



Large Vat Size (Vat Width ≥ 18") - CODE 2301

Gas Commercial Fryers must be ENERGY STAR® qualified or have a tested heavy load cooking energy efficiency of 50% or greater utilizing American Society for Testing and Materials (ASTM) Standard F2144 for large vat fryers.



Company Name (Website)	Brand Name	Model Name	Model Number	Energy Efficiency (%)	Rebate (per unit)
Alto-Shaam (www.alto-shaam.com)	Alto Shaam	-	ASF-75G	71	\$350
BKI (www.bkideas.com)	BKI	-	BLG-FC	61	
Frymaster (www.frymaster.com)	Frymaster	-	HD*60G	52	
Giles (www.gfsequipment.com)	Giles	-	GGF-720	61	
Hobart (www.hobartcorp.com)	---	-	HK65	66	
		-	HK85	66	
		-	HR65	60	
		-	HR85	60	
Keating (www.keatingofchicago.com)	Keating	-	18 IFM	51	
PBI (www.pbimarketing.com)	PBI	-	2600530	52	
		-	2600580	52	
Pearl City (www.pearlcitymanufacturing.com)	Pearl City	-	P-30	71	
Pitco (www.pitco.com)	Pitco	-	SGM20 SFSGM20 SGMF20	57	
			SSH60W SFSSH60W SSHF60W	55	
	Pitco	-	SSH75 SFSSH75 SSHF75	61	
	Pitco	-	SSH75R SFSSH75R SSHF75R	56	
	Pitco	-	VF65 VF65S	54	
Royal Range (www.royalranges.com)	Royal Range	-	RHEF-75**	72	
Ultrafryer Systems (www.ultrafryer.com)	Ultrafryer	Par 2	F-P20-18 B-P20-18 B-P20-20	62	
	Ultrafryer	Par 2.5	F-P25-18 B-P25-18	59	
	Ultrafryer	Par 3	F-P30-18 B-P30-18	61	
	Ultrafryer	Par 3	B-P30-20	65	
	Ultrafryer	Par 4	P40-18	74	
	Ultrafryer	---	IR-18	59	
Vulcan (www.vulcanequipment.com)	Vulcan	-	IR-20	57	
		-	TR65	60	
		-	TR85	60	
		-	VK65	66	
-	-	VK85	66		

Qualifying Gas Food Service Equipment (AU and OPU Customers Only)

1/1/19

Dishwashers

Commercial Dishwashers must be ENERGY STAR®-qualified.
Your building water heater and the booster water heater (if applicable) must be natural gas to qualify for this rebate.



See qualifying product list on the ENERGY STAR website:
www.energystar.gov/productfinder/product/certified-commercial-dishwashers/results

Dishwasher Type	Sanitation Method	Building Water Heater Type	Booster Water Heater Type	CODE	Rebate
Undercounter	Low Temp	Gas	NA	2600	\$300
	High Temp	Gas	Gas	2601	
Single Tank Door	Low Temp	Gas	NA	2602	\$600
	High Temp	Gas	Gas	2603	
	High & Low Temp	Gas	Gas	2604	
Single Tank Conveyor	Low Temp	Gas	NA	2605	\$800
	High Temp	Gas	Gas	2606	
	High & Low Temp	Gas	Gas	2607	
Multiple Tank Conveyor	Low Temp	Gas	NA	2608	\$1,000
	High Temp	Gas	Gas	2609	
	High & Low Temp	Gas	Gas	2610	

Low-Flow Pre-Rinse Spray Valves

CODE 1201

Qualifying Low-Flow Pre-Rinse Spray Valves must have a flow rate of 1.15 gallons per minute or less and a cleanability performance of 26 seconds per plate or less, based on the American Society for Testing and Materials (ASTM) Standard Test Method for Performance of Pre-Rinse Spray Valves. **Low-flow spray valve must replace a standard flow unit. Hot water must be provided by a gas water heater.**

Company Name (Website)	Brand Name	Model Number	Tested Flow Rate*	Rebate (per unit)
BK Resources	-	PRV-1	0.99	50% of Equipment and Installation Cost
Chicago Faucet	-	90-LABCP	0.92	
Component Hardware	-	KLP50-Y002-12	0.45	
	-	KLP50-Y002152	0.45	
	-	KLP50-Y002-45	0.45	
	-	KLP50-Y002-65	0.67	
	-	KLP50-Y002-74	0.74	
Encore	-	KLP50-Y002105	1.05	
	-	KL50-Y002-45	0.45	
	-	KL50-Y002-65	0.65	
Fisher	-	10197	0.70	
	-	13641	0.70	
Meisheng	-	M0098SV-065G	0.64	
	-	M0098SV-124G	1.20	
	-	M0098SV-142G	1.42	
	-	M0098SV1-124G	1.19	
Strahman	-	Kwik-Clean 3	0.99	
	-	Vari-Spray	1.28	

*Tested by the Food Service Technology Center.

Qualifying Gas Food Service Equipment (AU and OPU Customers Only)

1/1/19

Ventilation Hood Controllers

Code 1400

Commercial kitchen exhaust hood control system must be used in conjunction with variable speed fan motor controls.

Company Name (Website)	Brand Name	Rebate*
Accurex (www.accurex-systems.com)	Vari-Flow	\$165/hp (electric) \$300 per 1000 CFM (gas)
CaptiveAire (www.captiveaire.com)	Energy Management System for Kitchen Hoods	
Franke (www.franke.com)	VariVent	
Gaylord (www.gaylordventilation.com)	DCV-F DCV-R	
Greenheck (www.greenheck.com)	Vari-Flow	
Halton Company (www.haltoncompany.com)	M.A.R.V.E.L.	
Intellinox (www.intellinox.com)	ecoAZUR	
Melink (www.melinkcorp.com)	Intelli-Hood	
Spring Air Systems (www.springairsystems.com)	TruFlow	
Streivor (www.streivor.com)	DemandAire Variable Frequency Drive Motor Control System (Silver, Gold, and Platinum only)	

*The Electric Rebate is available to electric customers and is calculated using the total nameplate horsepower of the exhaust fans and make-up air fans controlled by the ventilation hood control system. The additional Gas Rebate is available to gas customers of Austin Utilities and Owatonna Public Utilities and is calculated using the CFM of the exhaust fans controlled by the ventilation hood control system.