

# Qualifying Gas Food Service Equipment (AU and OPU Customers Only)

1/1/15

Page 1 of 4

**ENERGY STAR®'s qualifying product lists only include products that meet or exceed their current performance specifications. Products that qualified under previous specifications are not listed but still qualify for rebates. Documentation must be provided to show that a product is ENERGY STAR qualified if it isn't listed on their current qualifying product lists.**

## Combination Ovens

**CODE 2000**

Gas Commercial Combination Ovens must have a tested steam mode cooking energy efficiency of 38% or greater and a convection mode cooking energy efficiency of 44% or greater utilizing American Society for Testing and Materials (ASTM) Standard F2861, and meet the idle rate requirements shown in the table below.

ASTM F2861 Idle Rate Requirements:

Gas Oven Capacity	Steam Mode Idle Rate	Convection Mode Idle Rate
< 15 Pan Capacity	≤ 15,000 Btuh	≤ 8,000 Btuh
15-28 Pan Capacity	≤ 18,000 Btuh	≤ 10,000 Btuh
> 28 Pan Capacity	≤ 28,000 Btuh	≤ 16,000 Btuh

## Qualifying Combination Ovens

Company Name (Website)	Model Name	Model Number	Steam Energy Eff. (%)	Convection Energy Efficiency (%)	Rebate (per unit)
<b>Alto-Shaam</b> (www.alto-shaam.com)	Combitherm	7.14 ESG	40	49	\$900
	Combitherm	CTP7-20G	47	59	
<b>Blodgett</b> (www.blodgett.com)	---	BLCP-102G	42	60	
<b>Cleveland</b> (www.clevelandrange.com)	Convotherm	OGB-6.20	44	60	
		OGS-6.20	57	59	
		OGS-10.20	47	61	
		OGS-20.20	57	61	
<b>Electrolux</b> (professional.electroluxusa.com)	Air-O-Convect	AOS062GCP1	48	55	
<b>Eloma</b> (www.eloma.com/us/)	Genius	T6-11	48	57	
		T10-11	51	60	
<b>Henny Penny</b> (www.hennypenny.com)	ClassicCombi	GCC615	44	52	
	SmartCombi	GSC115	46	57	
<b>Lang</b> (www.langworld.com)	---	CPE 2.10G	42	60	
<b>Piper</b> (www.piperonline.net)	---	HMG072X	46	54	
<b>Rational</b> (www.rationalusa.com)	SelfCooking Center	SCC102G	45	55	
		SCC61G	48	51	
		SCCWE102G	43	57	
		SCCWE202G	56	56	
		SCCWE61G	45	57	
		SCCWE62G	54	58	

## Rack Ovens

**CODE 2200**

Gas Commercial Rack Ovens must have a tested baking energy efficiency of 50% or greater utilizing American Society for Testing and Materials (ASTM) Standard F2093.

Company Name (Website)	Brand Name	Model Number	Capacity	Energy Efficiency (%)	Rebate (per unit)
<b>Adamatic Corporation</b> (www.adamatic.com)	Adamatic	PRO2G	Double-Rack	50	\$1,200
<b>Baxter</b> (www.baxtermfg.com)	Baxter	BXA2G	Double-Rack	56	
		OV500G2	Double-Rack	56	
		OV500G2-EE	Double-Rack	55	
<b>Doyon</b> (www.doyon.qc.ca)	---	SRO2G	Double-Rack	55	
<b>Gemini Bakery</b> (www.geminibe.com)	Gemini	V42	Double-Rack	52	
<b>Hobart</b> (www.hobartcorp.com)	Hobart	HBA-2G	Double-Rack	56	
<b>LBC Bakery Equipment</b> (www.langbakery.com)	LBC	LRO-2G	Double-Rack	54	
		LRO-2G4	Double-Rack	52	
<b>MIWE</b> (www.miwe.com)	Roll-In e+	1.0711-TL	Double-Rack	52	
<b>Revent</b> (www.revent.se)	Revent	724	Double-Rack	62	
<b>Sveba-Dahlen</b> (www.sveba-dahlen.se)	Dahlen	V42	Double-Rack	52	
<b>TMB Baking</b> (www.tmbbaking.com)	TMB Baking	XL2	Double-Rack	53	

# Qualifying Gas Food Service Equipment (AU and OPU Customers Only)

1/1/15

Page 2 of 4

## Convection Ovens

**CODE 2100**

Rebate per unit = \$500

Gas Commercial Convection Ovens must be ENERGY STAR® qualified.

See qualifying product list for gas convection ovens on the ENERGY STAR website:  
<http://www.energystar.gov/productfinder/product/certified-commercial-ovens/results>



## Fryers

**Standard Vat Size (Vat Width < 18") - CODE 2300**

Rebate per unit = \$250

Gas Commercial Fryers must be ENERGY STAR® qualified.

See qualifying product list for gas fryers on the ENERGY STAR website:  
[www.energystar.gov/productfinder/product/certified-commercial-fryers/results](http://www.energystar.gov/productfinder/product/certified-commercial-fryers/results)



**Large Vat Size (Vat Width ≥ 18") - CODE 2301**

Gas Commercial Fryers must be ENERGY STAR® qualified or have a tested heavy load cooking energy efficiency of 50% or greater utilizing American Society for Testing and Materials (ASTM) Standard F2144 for large vat fryers.



Company Name (Website)	Brand Name	Model Name	Model Number	Energy Efficiency (%)	Rebate (per unit)
<b>Alto-Shaam</b> (www.alto-shaam.com)	Alto Shaam	-	ASF-75G	71	\$350
<b>Dean</b> (dean.enodis.com)	Dean	-	HD*60G	52	
<b>Giles</b> (www.gfsequipment.com)	Giles	-	GGF-720	61	
<b>Keating</b> (www.keatingofchicago.com)	Keating	-	18 IFM	51	
<b>PBI</b> (www.pbimarketing.com)	PBI	-	2600530	52	
		-	2600580	52	
<b>Pearl City</b> (www.pearlcitymanufacturing.com)	Pearl City	-	P-30	71	
<b>Pitco</b> (www.pitco.com)	Pitco	-	SGM20 SFSGM20 SGMF20	57	
	Pitco	-	SSH60W SFSSH60W SSHF60W	55	
	Pitco	-	SSH75 SFSSH75 SSHF75	61	
	Pitco	-	SSH75R SFSSH75R SSHF75R	56	
<b>Ultrafryer Systems</b> (www.ultrafryer.com)	Ultrafryer	Par 2	F-P20-18 B-P20-18	62	
	Ultrafryer	Par 2.5	F-P25-18 B-P25-18	59	
	Ultrafryer	Par 3	F-P30-18 B-P30-18	61	
	Ultrafryer	Par 4	P40-18	74	
<b>Vulcan</b> (www.vulcanequipment.com)	Vulcan	-	TR65	60	
		-	TR85	60	
		-	VK65	66	
		-	VK85	66	

## Steam Cookers

Gas Commercial Steam Cookers must be ENERGY STAR® qualified.

See qualifying product list for gas steam cookers on the ENERGY STAR website:  
[www.energystar.gov/productfinder/product/certified-commercial-steam-cookers/results](http://www.energystar.gov/productfinder/product/certified-commercial-steam-cookers/results)



Pan Capacity	CODE	Rebate (per unit)
3	2400	\$500
4	2401	\$525
5	2402	\$550
6 and larger	2403	\$575

## Griddles

**CODE 2500**

Rebate per unit = \$175

Gas Commercial Griddles must be ENERGY STAR® qualified.

See qualifying product list for gas griddles on the ENERGY STAR website:  
<http://www.energystar.gov/productfinder/product/certified-commercial-griddles/results>



# Qualifying Gas Food Service Equipment (AU and OPU Customers Only)

1/1/15

Page 3 of 4

## Dishwashers

Commercial Dishwashers must be ENERGY STAR®-qualified.

**Your building water heater and the booster water heater (if applicable) must be natural gas to qualify for this rebate.**



See qualifying product list on the ENERGY STAR website:

[www.energystar.gov/productfinder/product/certified-commercial-dishwashers/results](http://www.energystar.gov/productfinder/product/certified-commercial-dishwashers/results)

Dishwasher Type	Sanitation Method	Building Water Heater Type	Booster Water Heater Type	CODE	Rebate
Undercounter	Low Temp	Gas	NA	2600	\$300
	High Temp	Gas	Gas	2601	
Single Tank Door	Low Temp	Gas	NA	2602	\$600
	High Temp	Gas	Gas	2603	
	High & Low Temp	Gas	Gas	2604	
Single Tank Conveyor	Low Temp	Gas	NA	2605	\$800
	High Temp	Gas	Gas	2606	
	High & Low Temp	Gas	Gas	2607	
Multiple Tank Conveyor	Low Temp	Gas	NA	2608	\$1,000
	High Temp	Gas	Gas	2609	
	High & Low Temp	Gas	Gas	2610	

## Conveyor Ovens

CODE 2700

Large Gas Conveyor Ovens must meet or exceed baking energy efficiency of 42% and have an idle energy rate of 57,000 Btuh or less utilizing American Society for Testing and Materials (ASTM) Standard F1817. Small Gas Conveyor Ovens must meet or exceed baking energy efficiency of 42% and have an idle energy rate of 29,000 Btuh or less utilizing American Society for Testing and Materials (ASTM) Standard F1817.

Company Name (Website)	Model Name	Model Number	Conveyor Width	Energy Efficiency (%)	Idle Rate (Btuh)	Rebate
Lincoln (www.lincolntfp.com)	Impinger	1600-***-U-K****	32"	46.4	36,393	\$750
	Impinger with Quest EMS	1600-***-U-K****-AQ	32"	46.4	23,402	
	Impinger	3270-***-N-K****	32"	43.8	53,800	
	---	PS570	32"	47.4	40,600	
Middleby (www.middleby.com)	WOW	PS670	32"	47.8	37,465	
	WOW	PS770	32"	47.8	37,465	
	WOW	PS870	32"	47.8	37,465	
	---	---	---	---	---	
XLT (www.xltovens.com)	Quiet Fire	3255/3255D	32"	42.0	41,700	
		3855	38"	45.4	45,004	
		3270/3270-2B	32"	46.9	46,017	
		3870-2B	38"	43.9	56,500	

## Gas Infrared Equipment

Infrared Equipment	CODE	Rebate (per unit)
Charbroilers	2801	\$300
Rotisserie Ovens	2802	\$500
Salamander Broilers	2803	\$150
Upright Broilers	2804	\$600
Fryers	2805	\$250

## Pasta Cookers

CODE 2900

Rebate per unit = \$200

## Qualifying Gas Food Service Equipment (AU and OPU Customers Only)

1/1/15

Page 4 of 4

### Low-Flow Pre-Rinse Spray Valves

**CODE 1201**

Qualifying Low-Flow Pre-Rinse Spray Valves must have a flow rate of 1.6 gallons per minute or less and a cleanability performance of 26 seconds per plate or less, based on the American Society for Testing and Materials (ASTM) Standard Test Method for Performance of Pre-Rinse Spray Valves. **Low-flow spray valve must replace a standard flow unit. Hot water must be provided by a gas water heater.**

Company Name (Website)	Brand Name	Model Number	Tested Flow Rate*	Rebate (per unit)
BK Resources	-	PRV-1	0.98	50% of Equipment and Installation Cost
Bricor	-	B064 PRV	0.65	
	-	B074 PRV	0.71	
	-	B084 PRV	0.84	
	-	B094 PRV	0.91	
	-	B095NS	0.94	
Chicago Faucet	-	90-LABCP	0.92	
Component Hardware	-	KL50-Y002-16	1.60	
Encore	-	KN50-Y002-12	1.18	
	-	KN50-Y103	0.70	
	-	KN50-Y104	0.70	
Fisher	Ultra-Spray	2949	1.15	
	Ultra-Spray	71307	1.15	
	-	10197	0.70	
	-	13641	0.70	
Krowne Metal	Water Saver	21-129L	1.19	
Meisheng	-	M0098SV-065G	0.64	
	-	M0098SV-124G	1.20	
	-	M0098SV-142G	1.42	
	-	M0098SV1-124G	1.19	
Niagra Conservation	-	N2180	1.28	
Strahman	-	Kwik-Clean 3	0.99	
	-	Kwik-Clean II	1.16	
	-	Vari-Spray	1.28	
T&S Brass	-	B-0107	1.40	
	-	EB-0107-C	0.64	
	-	B-0107-C	1.24	
	-	Equip 5SV	1.41	
	-	Equip 5SV-C	1.14	
	-	Jetspray B-0108	1.48	
	-	Jetspray B-0108-C	1.48	
	-	B-2108	1.38	
Zurn	-	Z80000-PR1	1.23	

\*Tested by the Food Service Technology Center.

### Ventilation Hood Controllers

**Code 1400**

Commercial kitchen exhaust hood control system must be used in conjunction with variable speed fan motor controls.

Company Name (Website)	Brand Name	Rebate*
Accurex (www.accurex-systems.com)	Vari-Flow	\$165/hp (electric)  \$300 per 1000 CFM (gas)
CaptiveAire (www.captiveaire.com)	Energy Management System for Kitchen Hoods	
Gaylord (www.gaylordventilation.com)	DCV-F DCV-R	
Greenheck (www.greenheck.com)	Vari-Flow	
Halton Company (www.haltoncompany.com)	M.A.R.V.E.L.	
Melink (www.melinkcorp.com)	Intelli-Hood	
Streivor (www.streivor.com)	DemandAire	
	Variable Frequency Drive Motor Control System	

\*The Electric Rebate is available to electric customers and is calculated using the total nameplate horsepower of the exhaust fans and make-up air fans controlled by the ventilation hood control system. In addition, the Gas Rebate is available to gas customers of Austin Utilities and Owatonna Public Utilities and is calculated using the CFM of the exhaust fans controlled by the ventilation hood control system.