

**Combination Ovens**

**CODE 2000**

Gas Commercial Combination Ovens must meet or exceed heavy load cooking energy efficiency of 40% utilizing American Society for Testing and Materials (ASTM) Standard F1639.

Company Name (Website)	Brand Name	Model Name	Model Number	Energy Efficiency (%)	Rebate (per unit)
<b>Alto-Shaam</b> (www.alto-shaam.com)	Alto-Shaam	Combitherm	6-10ESG	40.0	\$900
	Alto-Shaam	Combitherm	ML 7-14	40.0	
	Alto-Shaam	Combitherm	7-14ESG	55.0	
	Alto-Shaam	Combitherm	10-10ESG	40.0	
	Alto-Shaam	Combitherm	12-18ESG	40.0	
<b>Blodgett</b> (www.blodgett.com)	Blodgett	Blodgett	BCX-14G	51.9	
<b>Cleveland</b> (www.clevelandrange.com)	Cleveland	Convotherm	OGB-6.10/6.20	63.0	
	Cleveland	Convotherm	OGB-10.10/10.20	40.0	
	Cleveland	Convotherm	OGB-12.20	40.0	
	Cleveland	Convotherm	OGB-20.10/20.20	40.0	
	Cleveland	Convotherm	OGS-6.10/6.20	40.0	
	Cleveland	Convotherm	OGS-10.10/10.20	40.0	
	Cleveland	Convotherm	OGS-12.20	40.0	
	Cleveland	Convotherm	OGS-20.10/20.20	40.0	
<b>Electrolux</b> (professional.electroluxusa.com)	Electrolux	Air-O-Steam	O 260095 O 260148	45.1	
	Electrolux	Air-O-Steam	O 260149 O 260150	40.0	
	Electrolux	Air-O-Steam	O 260151 O 260152	40.0	
<b>Eloma</b> (www.eloma.com)	Eloma	Genius	T 611	58.4	
	Eloma	Genius	T 1011	40.0	
	Eloma	Genius	T 12-21	40.0	
	Eloma	Genius	T 2011 T 2021	40.0	
<b>Henny Penny</b> (www.hennypenny.com)	Henny Penny	SmartCombi	GSC-615 GSC-620	41.9	
	Henny Penny	SmartCombi	GSC-115 GSC-120	62.1	
	Henny Penny	SmartCombi	GSC-215 GSC-220	40.0	
<b>Lainox</b> (www.lainox.com)	Lainox	The Cube	MG 061	40.0	
	Lainox	The Cube	MG 101 MG 102	52.8	
	Lainox	The Cube	MG 201 MG 202	40.0	
<b>Rational</b> (www.rationalusa.com)	Rational	SelfCooking Center	SCC 61/62G	55.9	
	Rational	SelfCooking Center	SCC 101/102G	58.2	
	Rational	SelfCooking Center	SCC 201/202G	57.3	

**Convection Ovens**

**CODE 2100**

Gas Commercial Convection Ovens must meet or exceed heavy load potato cooking energy efficiency of 40% utilizing American Society for Testing and Materials (ASTM) Standard F1496.

Company Name (Website)	Brand Name	Model Name	Model Number	Energy Efficiency (%)	Rebate (per unit)
<b>Alto-Shaam</b> (www.alto-shaam.com)	Alto Shaam	Platinum Series	ASC-4G	42.0	\$500
	Alto Shaam	Platinum Series	2-ASC-4G	42.0	
<b>American Range</b> (www.americanrange.com)	American Range	Majestic	M-1	40.4	
	American Range	Majestic	M-2	40.4	
<b>Bakers Pride</b> (www.bakerspride.com)	Bakers Pride	Cyclone	CO11-G1/G2	43.0	
	Bakers Pride	Cyclone	GDCO-G1/G2	43.0	

**Convection Ovens** (continued from previous page)

Company Name (Website)	Brand Name	Model Name	Model Number	Energy Efficiency (%)	Rebate (per unit)
<b>Blodgett</b> (www.blodgett.com)	Blodgett	-	DFG100	40.0	\$500
	Blodgett	-	DFG100 Xcel	41.8	
	Blodgett	-	DFG200	42.0	
	Blodgett	-	SHO-G	44.5	
	Blodgett	-	Zephaire	44.7	
<b>Doyon Inc.</b> (www.doyon.qc.ca)	Doyon	Jet Air Ovens	JA**G	43.0	
<b>Duke Manufacturing</b> (www.dukemfg.com)	Duke	613 Series	613GV 613G2V	54.0	
	Duke	E Series	E101-G E102-G	54.7	
<b>Garland</b> (www.garland-group.com)	Garland	Master 450	MCO-GS-10/20 MCO-GD-10/20	42.1	
	Garland	Master 200	MCO-GS-10/20-S MCO-GD-10/20-S	43.6	
<b>Hobart</b> (www.hobartcorp.com)	Hobart	-	HGC501	46.3	
	Hobart	-	HGC502	46.3	
	Hobart	-	HGC504	46.3	
<b>Imperial</b> (www.imperialrange.com)	Imperial	Turbo-Flow	ICVG-1/ICVG-2	40.1	
	Imperial	Turbo-Flow	ICVD-1/ICVD-2	40.0	
<b>Lang</b> (www.langworld.com)	Lang	-	GCCO/2GCCO	41.0	
	Lang	-	OCGFS	42.1	
<b>Moffat</b> (www.moffat.com)	Moffat	-	G32MS	46.7	
<b>Montague</b> (www.montaguecompany.com)	Montague	Vectaire	HX-63A/HX2-63	43.9	
<b>Southbend</b> (www.southbendnc.com)	Southbend	Bronze Series	BG-12	47.2	
	Southbend	Bronze Series	BG-22	47.2	
	Southbend	Marathoner Gold	GS-15	46.2	
	Southbend	Marathoner Gold	GS-25	46.2	
	Southbend	Silver Star	SLGS-12	45.9	
<b>Vulcan</b> (www.vulcanhart.com)	Vulcan	-	SG4D/SG44D	47.8	
	Vulcan	-	VC4GD/VC44GD	46.3	
<b>Wolf</b> (www.wolfrange.com)	Wolf	-	WKGD1/WKGD2	46.3	

**Rack Ovens**

**CODE 2200**

Gas Commercial Rack Ovens must have a tested baking energy efficiency of 50% or greater utilizing American Society for Testing and Materials (ASTM) Standard F2093.

Company Name (Website)	Brand Name	Model Name	Model Number	Capacity	Energy Efficiency (%)	Rebate (per unit)
<b>Adamatic Corporation</b> (www.adamatic.com)	Adamatic	-	PRO2G	Single-Rack	50.4	\$1,200
<b>Baxter</b> (www.baxtermfg.com)	Baxter	-	BXA1G	Single-Rack	50.0	\$1,000
	Baxter	-	BXA2G	Double-Rack	55.7	\$1,200
<b>Sveba-Dahlen</b> (www.sveba-dahlen.se)	Dahlen	-	C152	Single-Rack	50.0	\$1,000
	Dahlen	-	V22	Single-Rack	50.0	\$1,000
	Dahlen	-	V42	Double-Rack	52.0	\$1,200
<b>Gemini Bakery Equipment, Co.</b> (www.geminibe.com)	Gemini	-	C152	Single-Rack	50.0	\$1,000
	Gemini	-	V42	Double-Rack	52.0	\$1,200
<b>LBC Bakery Equipment</b> (www.langbakery.com)	LBC	-	LRO-1G-N	Single-Rack	53.3	\$1,000
	LBC	-	LRO-2G-N	Double-Rack	50.9	\$1,200
<b>Hobart</b> (www.hobartcorp.com)	Hobart	-	HBA-1G	Single-Rack	50.0	\$1,000
	Hobart	-	HBA-2G	Double-Rack	55.7	\$1,200
<b>Revent</b> (www.revent.se)	Revent	-	726	Single-Rack	50.0	\$1,000
	Revent	-	724	Double-Rack	61.7	\$1,200
<b>TMB Baking</b> (www.tmbbaking.com)	TMB Baking	-	XL2	Double-Rack	53.3	\$1,200

2/3/08

**Fryers and Large Vat Fryers**

Gas Commercial Fryers must meet ENERGY STAR® specifications for energy efficiency or must have a tested heavy load cooking energy efficiency of 50% or greater utilizing American Society for Testing and Materials (ASTM) Standard F1361 for standard vat fryers and ASTM Standard F2144 for large vat fryers.



Company Name (Website)	CODE	Brand Name	Model Name	Model Number	Vat Size	Energy Efficiency (%)	Rebate (per unit)		
<b>Alto-Shaam</b> (www.alto-shaam.com)	2301	Alto Shaam	-	ASF-75G	Large	71.0	\$350		
<b>Dean</b> (dean.enodis.com)	2300	Dean	Decathlon	HD*50G	Standard	52.1	\$250		
	2301	Dean	-	HD*60G	Large	52.2	\$350		
<b>Frymaster</b> (www.frymaster.com)	2300	Frymaster	-	BIH*55	Standard	55.2	\$250		
		Frymaster	-	FPH50	Standard	50.0			
		Frymaster	-	H*55	Standard	55.2			
		Frymaster	-	MJH*50	Standard	50.0			
		Frymaster	-	MPH*55	Standard	55.2			
		Frymaster	-	PMJH*50	Standard	50.0			
		Frymaster	-	YSCFH*14G	Standard	52.1			
<b>Henny Penny</b> (www.hennypenny.com)	2300	Henny Penny	-	OFG-32*	Standard	50.3	\$250		
		Henny Penny	-	OGA-32*	Standard	50.3			
<b>Infinity</b> (www.infinityfryers.com)	2300	Infinity	-	G2840/G2840F	Standard	57.7	\$250		
		Infinity	-	G2842/G2842F	Standard	57.7			
<b>Keating</b> (www.keatingofchicago.com)	2300	Keating	Incredible Frying Machine	IFM 14	Standard	57.4	\$250		
<b>Pitco</b> (www.pitco.com)	2300	Pitco	-	MGII	Standard	54.0	\$250		
		Pitco	-	SGC	Standard	50.5			
		Pitco	-	SGH50	Standard	54.0			
		Pitco	-	SSH55 SFSSH50 SSHF50	Standard	55.1			
		Pitco	-	SSH55R SFSSH55R SSHF55R	Standard	52.6			
		Pitco	-	SSH60 SFSSH60 SSHF60	Standard	58.5			
		Pitco	-	SSH60R SFSSH60R SSHF60R	Standard	51.9			
		2301	Pitco	-	SGM24 SFSGM24 SGMF24	Large		52.4	\$350
			Pitco	-	SSH75 SFSSH75 SSHF75	Large		60.4	
	Pitco		-	SSH75R SFSSH75R SSHF75R	Large	57.7			
	<b>Ultrafryer Systems</b> (www.ultrafryer.com)	2300	Ultrafryer	Par 3	C-P30-14	Standard	59.6	\$250	
			Ultrafryer	-	PD-14	Standard	50.0		
Ultrafryer			Par 3	F-P30-14 B-P30-14	Standard	64.7			
Ultrafryer			Par 3	PDEX 1V 1-14	Standard	64.7			
2301		Ultrafryer	Par 2	F-P20-18 B-P20-18	Large	60.1	\$350		
		Ultrafryer	Par 2.5	F-P25-18 B-P25-18	Large	58.9			
Ultrafryer	Par 3	F-P30-18 B-P30-18	Large	61.1					

Note: \* denotes the number of frypots in a fryer battery

**Steam Cookers**

Gas Steam Cookers must meet ENERGY STAR® specifications for energy efficiency or must have a tested heavy load potato cooking energy efficiency of 38% or greater utilizing American Society for Testing and Materials (ASTM) Standard F1484.



Company Name (Website)	CODE	Brand Name	Model Name	Model Number	Pan Capacity	Energy Efficiency (%)	Rebate (per unit)
Market Forge (www.mfii.com)	2402	Market Forge	Eco Tech Plus	ETP-5G	5	39.7	\$550
	2403	Market Forge	Steam Tech Plus	STP-6G	6	38.5	
		Market Forge	Eco Tech Plus	ETP-10G	6	39.7	
Stellar (www.stellarfoodequipment.com)	2403	Stellar	Sirius II	Sirius 6	6	44.6	

**Griddles**

CODE 2500

Gas Commercial Griddles must meet or exceed heavy load cooking energy efficiency of 38% utilizing American Society for Testing and Materials (ASTM) Standard F1275.

Company Name (Website)	Brand Name	Model Name	Model Number (all sizes)	Energy Efficiency (%)	Rebate (per unit)
AccuTemp (www.accutemp.net)	AccuTemp	Accu-Steam	GG	47.2	\$175
Garland (www.garland-group.com)	Garland	-	CG	40.7	
Imperial (www.imperialrange.com)	Imperial	-	ITG	38.6	
	Imperial	-	ISAE	39.6	
Jade (www.jaderange.com)	Jade	Supreme	JGT	40.2	
Keating (www.keatingofchicago.com)	Keating	Miraclean	Miraclean	44.2	
Wells (www.wellsbloomfield.com)	Wells	-	WG	39.5	
Wolf (www.wolfrange.com)	Wolf	Therm-O-Ray	IRG	42	

**Dishwashers**

Commercial Dishwashers must be ENERGY STAR®-qualified.  
Your building water heater and the booster water heater (if applicable) must be natural gas to qualify for this rebate.



See qualifying product list on the ENERGY STAR website:  
[www.energystar.gov/ia/products/prod\\_lists/comm\\_dishwashers\\_prod\\_list.pdf](http://www.energystar.gov/ia/products/prod_lists/comm_dishwashers_prod_list.pdf)

Dishwasher Type	Sanitation Method	Building Water Heater Type	Booster Water Heater Type	CODE	Rebate
Undercounter	Low Temp	Gas	NA	2600	300
	High Temp	Gas	Gas	2601	
Single Tank Door	Low Temp	Gas	NA	2602	600
	High Temp	Gas	Gas	2603	
	High & Low Temp	Gas	Gas	2604	
Single Tank Conveyor	Low Temp	Gas	NA	2605	800
	High Temp	Gas	Gas	2606	
	High & Low Temp	Gas	Gas	2607	
Multiple Tank Conveyor	Low Temp	Gas	NA	2608	1000
	High Temp	Gas	Gas	2609	
	High & Low Temp	Gas	Gas	2610	

**Low-Flow Pre-Rinse Spray Valves**

**CODE 1201**

Qualifying Low-Flow Pre-Rinse Spray Valves must have a flow rate of 1.6 gallons per minute or less as tested utilizing American Society for Testing and Materials (ASTM) Standard F2324. Low-flow spray valve must replace a standard flow unit. **Hot water must be provided by a gas water heater.**

Company Name (Website)	Model Name	Model Number	Tested Flow Rate*	Rebate (per unit)
Bricor	-	B095NS	0.94	50% of Equipment and Installation Cost
Encore	-	KN50-Y002-12	1.18	
Fisher	Ultra-Spray	2949	1.15	
Krown Metal	Water Saver	21-129	1.24	
Niagra Conservation	-	N2180	1.28	
Strahman	-	Kwik-Clean II	1.16	
T&S Brass	-	B-0107	1.40	
	-	B-0107-C	1.24	
	-	Equip 5SV	1.41	
	-	Equip 5SV-C	1.14	
	-	Jetspray B-0108	1.48	
	-	Jetspray B-0108-C	1.12	
Zurn	-	Z80000-PR1	1.23	

\*Tested by the Food Service Technology Center.