

COMMERCIAL CENTRAL CHILLERS REBATE APPLICATION

SECTION A	. CUSTOMER	INFORM <i>A</i>	ATION (please print)					
Assount Namo				Doing Po	···: noon An (if diff	farant from Accou	····+ Nama)	
Account Name				וס אוווסת	usiness As (if diff	rerent from Accou	int name)	
Installation Addres	ess .			City			State	Zip Code
Mailing Address (if	f different from above)	(rebate check	к will be mailed here)	City			State	Zip Code
			Send us a rebate check	Apply re	ebate to our ac	count.		
Account Number	_	(Re	ebates \$75 and under will be a	11.7			lit will automatica	ally be issued.)
Type of Business	Church	Governme	ent Grocery	Health	Industrial	Lodging		
	Multi-family	Office	Restaurant	Retail	School	Other		
-	r about CONSERVE &		Billboard Chamber of		Contractor	Newspaper	Radio	
Retailer/Vendor	r Social Media	TV Uti	lity Newsletter Utility I	Representative	Utility Web S	Site Other		
SECTION B	. CONTACT IN	FORMATI	ON (please print)/C	CUSTOMER	R SIGNATU	IRE		
ATTENTIO	N: ALL INVOIC	ES OR RE	CEIPTS AND ALL S	SPECIFICAT	ION SHEETS	S MUST BE	INCLUDE	D WITH
	YOUR FULL	/-COMPLE	<u>CEIPTS</u> AND ALL <u>S</u> TED AND SIGNED	APPLICATIO	N OR APPL	ICATION W	ILL BE RE	TURNED.
Contact Name (reb	oate check will be mail	ed to contact)			Daytime	Phone Number		
Email Ry typing my first ar	nd last names in the hox	halow I am sig	ning this document and certi	ify that all the info	ermation in the an	nlication (including	d any associate	d worksheets
is correct to the be	st of my knowledge. I ha	ave read and ag	ree to the Terms and Conditi installed before approval fron	ions on the back o	of this application	booklet. I unders	tand that if any	equipment in
Conjunction with the	s application is ordered,	purchaseu, or i	listalieu neivie appiovai iioii	II The othicy is rec	elveu, tile propos	eu project may no	t quality for a re	evale.
Customer's Signat	ure						Date	
Check here if	you DO NOT give us	permission to	o use your business nam	ne in advertisinį	g our CONSERV	E & SAVE® prog	grams.	
SECTION C	CONTRACTO	D WEND	OD INCODMATIO	Al (leesa and				
SECTION C	. CUNIKACIO	K/ VEND	OR INFORMATIO	N (please pri	int)			
Company Name								
Address				City			State	Zip Code
7					D : #ima n	* Markey		
Contact Name					Daytime	Phone Number		
Email								
TEAMING UP	TO SAVE YOU	MONEY	OFFICE U	CE ONI	v			
	AIZ		OFFICE O	SE OIL	Date Receive	ved:		
PU		2	Inspected (Date &	Initials): Pre:_		Post:		
AUSTIN _		HESTER UTILITIES	Approval:			То	TAL REBATE	E:
Connections for Better Living*	SHI SHIII	E, WE DELIVER®	Date:					

CONSERVE & \$AVE

SECTION D. REBATE INFORMATION - WATER & AIR COOLED CHILLERS (FOR SPACE COOLING) For PATH A Chillers (fixed speed/no demand limiting)

Proje	Project Type: NEW CONSTRUCTION RETROFT IF RETROFT, IS EXISTING EQUIPMENT STILL OPERATIONAL? TES NO																
	EXIST	ING CHILLER (if	f operational))						NEW CI	HILLER						REBATE
A Unit Code (Table 1)	B Nominal Capacity (Tons)	C Rated FLV Efficiency (enter value and select units)	Rated IP Efficienc (enter value select uni	cy e and	у.	F Unit Code (Table 1)	G Manufacturer Name	H Model Number	Nominal Capacity (Tons)	Min. FLV Eff. (Table 1)	K Rated FLV Eff.	L Min. IPLV Eff. (Table 1)	M Rated IPLV Eff.	N Qty.	O Annual Cooling Hours (Table 2)	P Equipment Cost	Rebate (calculations below) (limited to 50% of new chiller cost)
		EER kW/ton	EER	kW/ton													
		2211 1117(6)1		,	\dagger												
		EER kW/ton	EER	kW/ton													
					ı												
		EER kW/ton	EER	kW/ton	⊥												
REBATE	CALCU	LATIONS:														TOTAL	
WATER C	OOLED CH	HILLERS: (Tested at A	AHRI standard	l 550/590 ra	ating c	conditions	? YES NO	AIR COOL	ED CHILLE	ERS:							S LIMITED OF NEW
New Qty		x New Tons	>	X \$15 = _		RE	EBATE	New Qty_		x New T	ons	X \$	3 =		_ REBATE	CHILLE	R COST.

TABLE 1 – QUALIFYING EFFICIENCIES AND REBATE SCHEDULE									
Path A – Water and Air Cooled Chillers with Fixed Speed / No Demand Limiting Controls									
Code	Qualifying Equipment	Min. FLV Eff.	Min. IPLV Eff.	Base Rebate \$/Ton					
C1-20A	Water-Cooled Screw/Scroll Chiller - Less than 75 Tons	0.730 kW per Ton	0.580 kW per Ton	\$15					
C2-20A	Water-Cooled Screw/Scroll Chiller - 75 to less than 150 Tons	0.725 kW per Ton	0.565 kW per Ton	\$15					
C3-20A	Water-Cooled Screw/Scroll Chiller - 150 and less than 300 Tons	0.630 kW per Ton	0.530 kW per Ton	\$15					
C4-20A	Water-Cooled Screw/Scroll Chiller – 300 Tons and Greater	0.570 kW per Ton	0.490 kW per Ton	\$15					
C5-20A	Water-Cooled Centrifugal Chiller – Less than 150 Tons	0.618 kW per Ton	0.576 kW per Ton	\$15					
C6-20A	Water-Cooled Centrifugal Chiller – 150 and less than 300 Tons	0.618 kW per Ton	0.576 kW per Ton	\$15					
C7-20A	Water-Cooled Centrifugal Chiller – 300 and less than 600 Tons	0.560 kW per Ton	0.529 kW per Ton	\$15					
C8-20A	Water-Cooled Centrifugal Chiller – 600 Tons and Greater	0.554 kW per Ton	0.519 kW per Ton	\$15					
C9-20A	Air-Cooled Chiller – Less than 150 Tons	9.74 EER	14.0 EER	\$8					
C10-20A	Air-Cooled Chiller – 150 Tons and Greater	9.74 EER	14.3 EER	\$8					

TABLE 2 – GUIDELINES FOR COOLING HOURS								
Business Type	Estimated Hours							
Convenience Store	986							
Education – Community College	785							
Education - Primary	408							
Education - Secondary	563							
Health/Medical - Clinic	865							
Health/Medical - Hospital	1,298							
Lodging	754							
Manufacturing	589							
Office - Low Rise	446							
Office - Mid Rise	651							
Office – High Rise	1,263							
Other/Miscellaneous	729							
Restaurant	652							
Retail - Large Department Store	686							
Retail - Strip Mall	574							
Warehouse	409							

FLV - Full Load Value; IPLV - Integrated Part Load Value; EER - Energy Efficiency Rating; Cooling Tons = BTUh cooling capacity/12,000

Note: Qualifying chillers must be used for space cooling and the meet efficiency requirements shown in Table 1 above to be eligible. **Documentation is required.** This can be a printout from the AHRI directory (www.ahridirectory.org) showing the nominal capacity (tons), and the IPLV efficiency and FLV efficiency at AHRI standard 550/590 rating conditions. For water cooled centrifugal chillers not tested at AHRI standard 550/590 rating conditions, manufacturer documentation must show the nominal capacity (tons), and the IPLV efficiency, FLV efficiency, FLV efficiency, leaving chilled water temperature, entering condenser water temperature, and condenser gpm at operating conditions so we can determine eligibility and rebate amount.

SECTION E. REBATE INFORMATION – WATER & AIR COOLED CHILLERS (FOR SPACE COOLING) For PATH B Chillers (variable speed or demand limited)

IF RETROFIT, IS EXISTING EQUIPMENT STILL OPERATIONAL?

	от гурог								= 40=	• · · · · · ·								
	EXIST	ING CHIL	LER (if	operation	al)						NEW CI	HILLER						REBATE
A Unit Code (Table 3)	B Nominal Capacity (Tons)	Rated Efficie (enter val select u	FLV ncy ue and	Rated Effici (enter va select	IPLV ency alue and	E Qty.	F Unit Code (Table 3)	G Manufacturer Name	H Model Number	Nominal Capacity (Tons)	Min. FLV Eff. (Table 3)	K Rated FLV Eff.	Min. IPLV Eff. (Table 3)	M Rated IPLV Eff.	N Qty.	O Annual Cooling Hours (Table 4)	P Equipment Cost	Q Rebate (calculations below) (limited to 50% of new chiller cost)
		EER	kW/ton	EER	kW/ton													
		EER	kW/ton	EER	kW/ton													
		EER	kW/ton	EER	kW/ton													
REBATE	CALCUI	LATIONS:						must be in kW/ton) X { \$15 + [\$200	•		•				NO	DEDATE	TOTAL	
									/	miniditi ir	-Lv	Kale	u			_ REDATE		S LIMITED OF NEW

Rated IPLV - _____

Minimum IPLV)] } =

TABLE 3 – QUALIFYING EFFICIENCIES AND REBATE SCHEDULE										
	Path B – Water and Air Cooled Chillers with Variable Speed / Demand Limiting Controls									
Code	Qualifying Equipment	Min. FLV Eff.	Min. IPLV Eff.	Base Rebate \$/Ton	Efficiency Bonus Rebate \$/Ton					
C1-20B	Water-Cooled Screw/Scroll Chiller - Less than 75 Tons	0.800 kW per Ton	0.550 kW per Ton	\$15	\$2.00					
C2-20B	Water-Cooled Screw/Scroll Chiller - 75 to less than 150 Tons	0.790 kW per Ton	0.536 kW per Ton	\$15	\$2.00					
C3-20B	Water-Cooled Screw/Scroll Chiller - 150 and less than 300 Tons	0.718 kW per Ton	0.490 kW per Ton	\$15	\$2.00					
C4-20B	Water-Cooled Screw/Scroll Chiller - 300 Tons and Greater	0.639 kW per Ton	0.440 kW per Ton	\$15	\$2.00					
C5-20B	Water-Cooled Centrifugal Chiller – Less than 150 Tons	0.639 kW per Ton	0.430 kW per Ton	\$15	\$2.00					
C6-20B	Water-Cooled Centrifugal Chiller – 150 and less than 300 Tons	0.639 kW per Ton	0.430 kW per Ton	\$15	\$2.00					
C7-20B	Water-Cooled Centrifugal Chiller – 300 and less than 600 Tons	0.600 kW per Ton	0.380 kW per Ton	\$15	\$2.00					
C8-20B	Water-Cooled Centrifugal Chiller – 600 Tons and Greater	0.590 kW per Ton	0.380 kW per Ton	\$15	\$2.00					
C9-20B	Air-Cooled Chiller - Less than 150 Tons	9.562 EER	14.0 EER	\$8	\$2.00					
C10-20B	Air-Cooled Chiller – 150 Tons and Greater	9.562 EER	14.3 EER	\$8	\$2.00					

x New Tons

_ X { \$8 + [\$20.00 X (_____

TABLE 4 – GUIDELINES FOR COOLING HOURS								
Business Type	Estimated Hours							
Convenience Store	986							
Education – Community College	785							
Education - Primary	408							
Education - Secondary	563							
Health/Medical - Clinic	865							
Health/Medical - Hospital	1,298							
Lodging	754							
Manufacturing	589							
Office - Low Rise	446							
Office - Mid Rise	651							
Office – High Rise	1,263							
Other/Miscellaneous	729							
Restaurant	652							
Retail - Large Department Store	686							
Retail - Strip Mall	574							
Warehouse	409							

REBATE

CHILLER COST.

Note: Qualifying chillers must be used for space cooling and the meet efficiency requirements shown in Table 3 above to be eligible. **Documentation is required.** This can be a printout from the AHRI directory (www.ahridirectory.org) showing the nominal capacity (tons), and the the IPLV efficiency and FLV efficiency at AHRI standard 550/590 rating conditions. For water cooled centrifugal chillers not tested at AHRI standard 550/590 rating conditions, manufacturer documentation must show the nominal capacity (tons), and the IPLV efficiency, FLV efficiency, FLV efficiency, leaving chilled water temperature, entering condenser water temperature, and condenser gpm at operating conditions so we can determine eligibility and rebate amount.

Project Type:

NEW CONSTRUCTION

^{*} Efficiency Bonus Rebate provides an additional incentive for each 0.01 kW per Ton below the Minimum IPLV Efficiency for water-cooled chillers), or for each 0.1 EER above the minimum IPLV efficiency for air-cooled chillers. FLV – Full Load Value; IPLV – Integrated Part Load Value; EER – Energy Efficiency Rating; Cooling Tons = BTUh cooling capacity/12,000

SECTION F. TERMS AND CONDITIONS

1. ELIGIBILITY

Rebates are available to non-residential electric customers of Austin Utilities, Owatonna Public Utilities, and Rochester Public Utilities (herein referred to as The Utility). All products must be in use in facilities in The Utility service territory.

2. APPLICATION

Program is offered January 1 through December 31 of the respective calendar year. **Due to limited funding, this rebate offer can be changed or withdrawn at any time without notice and is available on a first-come, first-served basis.** The entire rebate application must be read and filled out completely or application will be returned.

3. INSPECTION AND VERIFICATION

The Utility reserves the right to inspect the customer's facility through on-site visits before and after new equipment installation to verify rebate eligibility. The Utility reminds you to follow all local permitting and building code ordinances.

4. INSTALLATION AND REBATE AMOUNTS

Qualifying energy-efficient equipment installed and operational within six (6) months of the date of purchase are eligible for rebate. Additional time may be granted subject to The Utility's pre-approval. In no case will the rebate paid by The Utility exceed the purchase price of the equipment. The maximum rebate amount is \$100,000 per customer location per technology per year.

5. INVOICE AND PAYMENT

Following inspection and verification (see #3) and completed installation, the customer must notify The Utility and submit original invoices specifying the model number, quantity and price of all materials purchased, the date ordered, installation costs, and applicable taxes. Additionally, SEER/EER (Rooftop, Packaged, and Condensing A/C Units) certification data or manufacturer's kW per Ton (Central Chillers) is required to be submitted with invoices. After satisfactory review of the application and invoices, a rebate check or bill credit will be issued to the customer. Vendors or contractors are not eligible to receive their customer's rebate. Please allow 6-10 weeks from the date of application submission for delivery of rebate check or bill credit. The Utility reserves the right to apply the rebate to past due accounts.

6. EQUIPMENT ELIGIBILITY REQUIREMENTS

Eligible high-efficiency cooling equipment must be new and meet or exceed The Utility's minimum efficiency requirements as identified in Tables 1 and 3 according to its respective characteristics. Eligible high-efficiency cooling units must replace units of lesser efficiencies and of equivalent or greater capacity (Tons or Btu's/hour) to qualify for a rebate.

Central Chillers: Qualifying chillers must meet the efficiency requirements shown in Table 3 to be eligible and have kW per Ton ratings stamped on the nameplate. Documentation is required. This can be a printout from the AHRI directory (www.ahridirectory.org) or if the chiller has not been tested by AHRI, manufacturer documentation must show the rated capacity (tons), and the IPLV efficiency and the full-load efficiency at AHRI standard 550/590 rating conditions:

- 44° F leaving chilled water temperature
- 85° F entering condenser water temperature (for water cooled chillers)
- 95° F entering condenser air temperature (for air cooled chillers)

For water cooled centrifugal chillers not tested at AHRI standard 550/590 rating conditions, manufacturer documentation must show the nominal capacity (tons), and the IPLV efficiency, full-load efficiency, leaving chilled water temperature, entering condenser water temperature, and condenser gpm at operating conditions.

7. TAX INFORMATION

The Utility will not be responsible for any tax liability imposed as a result of the rebate payment(s). Customers are advised to consult their tax advisors for details.

8. DISCLAIMER

The Utility does not guarantee that the implementation of energy-efficient measures or use of the equipment purchased or installed pursuant to this program will result in energy or cost savings. The Utility makes no warranties, expressed or implied, with respect to any equipment purchased or installed including, but not limited to, any warrant of merchantability or fitness for purpose. In no event shall The Utility be liable for any incidental or consequential damages. Customers are solely responsible for the proper disposal of existing equipment. Consult the Minnesota Pollution Control Agency (MPCA) office for details at 800.657.3864.

9. ENDORSEMENT

The Utility does not endorse any particular vendor, manufacturer, product, or system in promoting this rebate program. Listing a vendor or product does not constitute an endorsement, nor does it imply that unlisted vendors or products are deficient or defective in any way.

10. PRIVACY

Information contained in this rebate application may be shared with the Minnesota Department of Commerce and our co-op partners and also may be used in our advertising efforts with your permission as granted in Section B of this rebate application.

MAIL OR EMAIL COMPLETED APPLICATION AND REQUIRED DOCUMENTATION TO YOUR UTILITY PROVIDER:

Austin Utilities

Attn: Rebate Processing 1908 14th St NE Austin, MN 55912-4904 507-433-8886 www.austinutilities.com

rebates@austinutilities.com

Owatonna Public Utilities
Attn: Rebate Processing
PO Box 800
Owatonna, MN 55060-0800
507-451-2480
www.owatonnautilities.com
rebates@owatonnautilities.com

Rochester Public Utilities
Attn: Rebate Processing
4000 E River Rd NE
Rochester, MN 55906-2813
507-280-1500
www.rpu.org
rebates@rpu.org