

Combination Ovens

CODE 2000

Gas Commercial Combination Ovens must meet or exceed heavy load cooking energy efficiency of 40% utilizing American Society for Testing and Materials (ASTM) Standard F1639.

Company Name (Website)	Brand Name	Model Name	Model Number	Energy Efficiency (%)	Rebate (per unit)
Alto-Shaam (www.alto-shaam.com)	Alto-Shaam	Combitherm	6-10ESG	40.0	\$900
	Alto-Shaam	Combitherm	ML7-14 7-14GASML 7-14ML	54.0	
	Alto-Shaam	Combitherm	7-14ESG	54.0	
	Alto-Shaam	Combitherm	10-10ESG	40.0	
	Alto-Shaam	Combitherm	12-18ESG	40.0	
Blodgett (www.blodgett.com)	Blodgett	Blodgett	BCX-14G	51.9	
Cleveland (www.clevelandrange.com)	Cleveland	Convotherm	OGB-6.10/6.20	67.0	
	Cleveland	Convotherm	OGB-10.10/10.20	40.0	
	Cleveland	Convotherm	OGB-12.20	40.0	
	Cleveland	Convotherm	OGB-20.10/20.20	40.0	
	Cleveland	Convotherm	OGS-6.10/6.20	49.0	
	Cleveland	Convotherm	OGS-10.10/10.20	40.0	
	Cleveland	Convotherm	OGS-12.20	40.0	
	Cleveland	Convotherm	OGS-20.10/20.20	40.0	
Electrolux (professional.electroluxusa.com)	Electrolux	Air-O-Steam	O 260095 O 260148	45.1	
	Electrolux	Air-O-Steam	O 260149 O 260150	40.0	
	Electrolux	Air-O-Steam	O 260151 O 260152	40.0	
	Electrolux	Air-O-Steam	O 260096 O 260097	40.0	
	Electrolux	Air-O-Steam	O 260098 O 260099	40.0	
Eloma (www.eloma.com)	Eloma	Genius	T 611	50.0	
	Eloma	Genius	T 1011	40.0	
	Eloma	Genius	T 12-21	40.0	
	Eloma	Genius	T 2011 T 2021	40.0	
Henny Penny (www.hennypenny.com)	Henny Penny	ClassicCombi	GCC-115 GCC-120	40.0	
	Henny Penny	ClassicCombi	GCC-215 GCC-220	40.0	
	Henny Penny	ClassicCombi	GCC-615 GCC-620	56.0	
	Henny Penny	SmartCombi	GSC-615 GSC-620	53.0	
	Henny Penny	SmartCombi	GSC-115 GSC-120	67.0	
	Henny Penny	SmartCombi	GSC-215 GSC-220	40.0	
Lainox (www.lainox.com)	Lainox	The Cube	MG 061	40.0	
	Lainox	The Cube	MG 101 MG 102	45.0	
	Lainox	The Cube	MG 201 MG 202	40.0	
Rational (www.rationalusa.com)	Rational	SelfCooking Center	SCC 61/62G	50.0	
	Rational	SelfCooking Center	SCC 101/102G	58.2	
	Rational	SelfCooking Center	SCC 201/202G	57.3	

Convection Ovens

CODE 2100

Gas Commercial Convection Ovens must meet or exceed heavy load potato cooking energy efficiency of 40% utilizing American Society for Testing and Materials (ASTM) Standard F1496.

Company Name (Website)	Brand Name	Model Name	Model Number	Energy Efficiency (%)	Rebate (per unit)
Alto-Shaam (www.alto-shaam.com)	Alto Shaam	Platinum Series	ASC-4G	42.0	\$500
	Alto Shaam	Platinum Series	2-ASC-4G	42.0	
American Range (www.americanrange.com)	Amer. Range	Majestic	M-1	40.4	
	Amer. Range	Majestic	M-2	40.4	
	Amer. Range	Majestic	MSD-1	41.0	
	Amer. Range	Majestic	MSD-2	41.0	
Bakers Pride (www.bakerspride.com)	Bakers Pride	Cyclone	CO11-G1/G2	43.0	
	Bakers Pride	Cyclone	GDCO-G1/G2	43.0	
Blodgett (www.blodgett.com)	Blodgett	-	DFG100	41.0	
	Blodgett	-	DFG100-DbI	41.0	
	Blodgett	-	DFG100 Xcel	41.0	
	Blodgett	-	DFG100 Xcel Double	41.0	
	Blodgett	-	DFG200	44.0	
	Blodgett	-	DFG200-DbI	44.0	
	Blodgett	-	SHO-G	45.0	
	Blodgett	-	SHO-G Double	45.0	
	Blodgett	-	Zephaire-G Double	45.0	
Blodgett	-	Zephaire-G	45.0		
Doyon Inc. (www.doyon.qc.ca)	Doyon	Jet Air Ovens	JA**G	43.0	
Duke Manufacturing (www.dukemfg.com)	Duke	613 Series	613GV 613G2V	54.0	
	Duke	E Series	E101-G E102-G	54.0	
Garland (www.garland-group.com)	Garland	Master 450	MCO-GS-10/20 MCO-GD-10/20	42.1	
	Garland	Master 200	MCO-GS-10/20-S MCO-GD-10/20-S	43.6	
	Garland	Moisture Plus	MP-GS-10-D MP-GD-20-D	44.0	
Hobart (www.hobartcorp.com)	Hobart	-	HGC501	46.3	
	Hobart	-	HGC502	46.3	
	Hobart	-	HGC504	46.3	
Imperial (www.imperialrange.com)	Imperial	Turbo-Flow	ICV-1/ICV-2	40.0	
	Imperial	Turbo-Flow	ICVG-1/ICVG-2	40.1	
	Imperial	Turbo-Flow	ICVD-1/ICVD-2	40.0	
Lang (www.langworld.com)	Lang	-	GCCO/2GCCO	41.0	
	Lang	-	GCSF	42.0	
	Lang	-	OCGFS	42.1	
Moffat (www.moffat.com)	Moffat	-	G32MS	46.7	
Montague (www.montaguecompany.com)	Montague	Vectaire	HX-63A/HX2-63	43.9	
Royal Range (www.royalranges.com)	Royal Range	-	RCOS-1	46.0	
	Royal Range	-	RCOS-2	46.0	
Southbend (www.southbendnc.com)	Southbend	Bronze Series	BG-12	47.2	
	Southbend	Bronze Series	BG-22	47.2	
	Southbend	Marathoner Gold	GS-15	46.2	
	Southbend	Marathoner Gold	GS-25	46.2	
	Southbend	Silver Star	SLGS-12	45.9	
	Southbend	Silver Star	SLGS-22	45.9	
Vulcan (www.vulcanhart.com)	Vulcan	-	SG4D/SG44D	47.8	
	Vulcan	-	VC4GD/VC44GD	46.3	
Wolf (www.wolfrange.com)	Wolf	-	WKGD1/WKGD2	46.3	

Rack Ovens

CODE 2200

Gas Commercial Rack Ovens must have a tested baking energy efficiency of 50% or greater utilizing American Society for Testing and Materials (ASTM) Standard F2093.

Company Name (Website)	Brand Name	Model Number	Capacity	Energy Efficiency (%)	Rebate (per unit)
Adamatic Corporation (www.adamatic.com)	Adamatic	PRO2G	Single-Rack	50.4	\$1,200
Baxter (www.baxtermfg.com)	Baxter	BXA1G	Single-Rack	50.0	\$1,000
	Baxter	BXA2G	Double-Rack	55.7	\$1,200
Sveba-Dahlen (www.sveba-dahlen.se)	Dahlen	C152	Single-Rack	50.0	\$1,000
	Dahlen	V22	Single-Rack	50.0	\$1,000
	Dahlen	V42	Double-Rack	52.0	\$1,200
Gemini Bakery Equipment, Co. (www.geminibe.com)	Gemini	C152	Single-Rack	50.0	\$1,000
	Gemini	V42	Double-Rack	52.0	\$1,200
LBC Bakery Equipment (www.langbakery.com)	LBC	LRO-1G-N	Single-Rack	53.3	\$1,000
	LBC	LRO-2G-N	Double-Rack	54.3	\$1,200
Hobart (www.hobartcorp.com)	Hobart	HBA-1G	Single-Rack	50.0	\$1,000
	Hobart	HBA-2G	Double-Rack	55.7	\$1,200
Revent (www.revent.se)	Revent	726	Single-Rack	50.0	\$1,000
	Revent	724	Double-Rack	61.7	\$1,200
TMB Baking (www.tmbbaking.com)	TMB Baking	XL2	Double-Rack	53.3	\$1,200

Fryers

Standard Vat Size - CODE 2300

Gas Commercial Fryers must meet ENERGY STAR® specifications for energy efficiency or must have a tested heavy load cooking energy efficiency of 50% or greater utilizing American Society for Testing and Materials (ASTM) Standard F1361 for standard vat fryers.



See qualifying product list for electric fryers on the ENERGY STAR website:

www.energystar.gov/ia/products/prod_lists/Fryers_prod_list.pdf

Large Vat Size - CODE 2301

Gas Commercial Fryers must meet ENERGY STAR® specifications for energy efficiency or must have a tested heavy load cooking energy efficiency of 50% or greater utilizing American Society for Testing and Materials (ASTM) Standard F2144 for large vat fryers.



Company Name (Website)	Brand Name	Model Name	Model Number	Energy Efficiency (%)	Rebate (per unit)
Alto-Shaam (www.alto-shaam.com)	Alto Shaam	-	ASF-75G	71.0	\$350
Dean (dean.enodis.com)	Dean	-	HD*60G	52.2	
Henny Penny (www.hennypenny.com)	Henny Penny	-	OFG-34*	51.4	
	Henny Penny	-	OGA-34*	50.0	
Pitco (www.pitco.com)	Pitco	-	SSH60W SFSSH60W SSHF60W	56.6	
			SGM24 SFSGM24 SGMF24	52.4	
	Pitco	-	SSH75 SFSSH75 SSHF75	61.1	
			SSH75R SFSSH75R SSHF75R	55.8	
Ultrafryer Systems (www.ultrafryer.com)	Ultrafryer	Par 2	F-P20-18 B-P20-18	60.1	
	Ultrafryer	Par 2.5	F-P25-18 B-P25-18	58.9	
	Ultrafryer	Par 3	F-P30-18 B-P30-18	61.1	
	Ultrafryer	Par 4	R40-18	74.3	

Note: * denotes the number of frypots in a fryer battery

Steam Cookers

Gas Steam Cookers must meet ENERGY STAR® specifications for energy efficiency or must have a tested heavy load potato cooking energy efficiency of 38% or greater utilizing American Society for Testing and Materials (ASTM) Standard F1484.



Company Name (Website)	CODE	Brand Name	Model Name	Model Number	Pan Capacity	Energy Efficiency (%)	Rebate (per unit)
Intek (www.intekllc.com)	2402	Intek	Xtreme Steam	XSG-5	5	49.1	\$550
Market Forge (www.mfii.com)	2402	Market Forge	Eco Tech Plus	ETP-5G	5	39.7	
	2403	Market Forge	Steam Tech Plus	STP-6G	6	38.5	
		Market Forge	Eco Tech Plus	ETP-10G	10	39.7	
Stellar (www.stellarfoodequipment.com)	2403	Stellar	Sirius II	Sirius 6	6	44.6	\$575

Griddles

CODE 2500

Gas Commercial Griddles must meet or exceed heavy load cooking energy efficiency of 38% utilizing American Society for Testing and Materials (ASTM) Standard F1275.

Company Name (Website)	Brand Name	Model Name	Model Number (all sizes)	Energy Efficiency (%)	Rebate (per unit)
AccuTemp (www.accutemp.net)	AccuTemp	Accu-Steam	GG	47.2	\$175
Garland (www.garland-group.com)	Garland	-	CG	40.7	
Imperial (www.imperialrange.com)	Imperial	-	ITG	38.6	
	Imperial	-	ISAE	39.6	
Jade (www.jaderange.com)	Jade	Supreme	JGT	40.2	
Keating (www.keatingofchicago.com)	Keating	Miraclean	Miraclean	44.2	
Wells (www.wellsbloomfield.com)	Wells	-	WG	39.5	
Wolf (www.wolfrange.com)	Wolf	Therm-O-Ray	IRG	42	

Dishwashers

Commercial Dishwashers must be ENERGY STAR®-qualified.
Your building water heater and the booster water heater (if applicable) must be natural gas to qualify for this rebate.



See qualifying product list on the ENERGY STAR website:
www.energystar.gov/ia/products/prod_lists/comm_dishwashers_prod_list.pdf

Dishwasher Type	Sanitation Method	Building Water Heater Type	Booster Water Heater Type	CODE	Rebate
Undercounter	Low Temp	Gas	NA	2600	\$300
	High Temp	Gas	Gas	2601	
Single Tank Door	Low Temp	Gas	NA	2602	\$600
	High Temp	Gas	Gas	2603	
	High & Low Temp	Gas	Gas	2604	
Single Tank Conveyor	Low Temp	Gas	NA	2605	\$800
	High Temp	Gas	Gas	2606	
	High & Low Temp	Gas	Gas	2607	
Multiple Tank Conveyor	Low Temp	Gas	NA	2608	\$1,000
	High Temp	Gas	Gas	2609	
	High & Low Temp	Gas	Gas	2610	

Low-Flow Pre-Rinse Spray Valves

CODE 1201

Qualifying Low-Flow Pre-Rinse Spray Valves must have a flow rate of 1.6 gallons per minute or less as tested utilizing American Society for Testing and Materials (ASTM) Standard F2324. Low-flow spray valve must replace a standard flow unit. **Hot water must be provided by a gas water heater.**

Company Name (Website)	Brand Name	Model Number	Tested Flow Rate*	Rebate (per unit)
BK Resources	-	PRV-1	0.98	50% of Equipment and Installation Cost
Bricor	-	B064 PRV	0.65	
		B084 PRV	0.84	
		B094 PRV	0.91	
	-	B095NS	0.94	
Encore	-	KN50-Y002-12	1.18	
Fisher	Ultra-Spray	2949	1.15	
Krowne Metal	Water Saver	21-129	1.24	
Niagra Conservation	-	N2180	1.28	
Strahman	-	Kwik-Clean II	1.16	
T&S Brass	-	B-0107	1.40	
	-	B-0107-C	1.24	
	-	Equip 5SV	1.41	
	-	Equip 5SV-C	1.14	
	-	Jetspray B-0108	1.48	
	-	Jetspray B-0108-C	1.48	
Zurn	-	Z80000-PR1	1.23	

*Tested by the Food Service Technology Center.